

11 Feb 87  
F. J. M. M. M. M.  
1030

SVI

S.2

D

AI

EI

T

I

ASL

ALS

struts

long  
rounded

component  
struts

land  
explosive

metal

curving

position


for BL  
ventos  
meq  
stainless  
steel conveyor up there

5 1/2 tubes go along it. I + "convey" tubes, it sends a track  
of same size for them. Comes out of 5 tubes

files  
tanned  
a  
tube a  
conduit

people

wearing  
heavy  
clothes



S2

D

AI

EI

I

I

AL

AL

person  
studieswhites  
locks  
adjusts  
monitoring  
examining

S4 1/2 does something w/ controlling & monitoring or  
collecting results as items pass by.

around  
thru

dark

long

meter  
structureglint  
smooth

supported

S4 1/2 precision is important. Structure must be precisely  
engineered, assembled, & periodically adjusted, & leveled.  
Even expansion & contraction of components must be controlled  
or at least carefully allowed for.

inside cubicle D

Thwack!

S V I

S 2

D

H 2

E 2

T

I

A 2 H 5

S 1/2 sense of abrupt halt ~~spike~~ perhaps impact of some sort.

Rapid  
movement

pulsing  
rhythmic

very high-tech

Antony  
applications

A 1 B 1  
start  
suprise  
inclination  
to jump  
out &  
way

fragmentation  
spalling

heat  
small amounts  
but focused  
or highly  
concentrated

Small  
fast

A 1 B 1  
sting

little

like  
boulders

delivered  
wetness  
a lot for its size

SUI

5

52

VS

AZ

EJ

I

I

AOL

AS

particle  
cluster

S4 1/2 picks up its importance a ability because of its speed.  
Objects travel sequentially rather than over mass

1127